



Specifications

Power & Performance

Fuel Type	Petrol
Max Power	18.4 bhp @ 8,500 rpm
Max Torque	19 Nm @ 5,500 rpm
Cooling System	Air Cooled
Transmission	5 Speed Manual
Transmission Type	Belt Drive
Emission Standard	BS-VI
Displacement	249 cc
Cylinders	2
Bore	49 mm

Stroke	66 mm
Valves Per Cylinder	2
Compression Ratio	10:01
Ignition	Digital
Spark Plugs	--
Gear Shifting Pattern	1 Down 4 Up
Clutch	--
Fuel Delivery System	Fuel Injection
Fuel Tank Capacity	20 litres
Reserve Fuel Capacity	--
Riding Range	--
Mileage - ARAI	--
Mileage - Owner Reported	--
Top Speed	--

Brakes, Wheels & Suspension

Braking System	Dual Channel ABS
Front Brake Type	Disc
Front Brake Size	--
Rear Tyre Size	140/70 - 16
Tyre Type	Tubeless

Radial Tyres	Yes
Rear Brake Type	Disc
Rear Brake Size	--
Calliper Type	--
Wheel Type	Alloy
Front Wheel Size	16 inch
Rear Wheel Size	16 inch
Front Tyre Size	120/80 - 16
Front Tyre Pressure (Rider)	--
Rear Tyre Pressure (Rider)	--
Front Tyre Pressure (Rider & Pillion)	--
Rear Tyre Pressure (Rider & Pillion)	--
Front Suspension	Telescopic
Rear Suspension	Hydraulic
Dimensions & Chassis	
Kerb Weight	179 kg
Overall Length	2,230 mm
Overall Width	920 mm
Wheelbase	1,530 mm
Ground Clearance	160 mm

Seat Height	715 mm
Overall Height	1,090 mm
Chassis Type	--

Manufacturer Warranty

Standard Warranty (Year)	2 Year
Standard Warranty (Kilometers)	Unlimited Kilometers

Features

Odometer	Digital
DRLs (Daytime running lights)	Yes
Mobile App Connectivity	Yes
Low Battery Indicator	--
Pillion Backrest	Yes
Pillion Grabrail	Yes
GPS & Navigation	Yes
USB charging port	--
Front storage box	No
Under seat storage	No
AHO (Automatic Headlight On)	Yes
Speedometer	Digital

Fuel Guage	Yes
Tachometer	--
Stand Alarm	Yes
Stepped Seat	Yes
No. of Tripmeters	2
Tripmeter Type	Digital
Low Fuel Indicator	Yes
Low Oil Indicator	Yes
Pillion Seat	Yes
Pillion Footrest	Yes
Digital Fuel Guage	Yes
Start Type	Electric Start
Shift Light	Yes
Killswitch	Yes
Clock	Yes
Battery	--
Headlight Type	Halogen
Brake/Tail Light	LED Taillamp
Turn Signal	Yes
Pass Light	Yes